

## Bibliografia:

- [1] Płudowski, P., Karczmarewicz, E., Czech-Kowalska, J., Kryśkiewicz, E., Skorupa, E., Dobrzańska, A., ... & Lorenc, R. (2009). Nowe spojrzenie na suplementację witaminą D. *Stand Med*, 1, 23-41
- [2] Holick MF, Biancuzzo RM, Chen RC i wsp. Vitamin D2 is as effective as vitamin D3 in maintaining concentrations of 25-hydroxyvitamin D. *J Clin Endocrinol Metab* 2007;1-17.
- [3] Holick MF. Resurrection of vitamin D deficiency and rickets. *J Clin Invest* 2006;116:2062-2072
- [4] Dobrzańska A, Lukas W, Socha J i wsp. Zalecenia krajowego konsultanta w dziedzinie pediatrii i zespołu ekspertów dotyczące profilaktyki krzywicy i osteoporozy. *Standardy Med.* 2004;1(4): 443-445
- [5] Vieth R. Vitamin D toxicity, policy, and science. *J Bone Miner Res* 2007; 22(s2):V64-V68.
- [6] Maalouf J, Nabulsi M, Vieth R i wsp. Short- and long-term safety of weekly high-dose vitamin D3 supplementation in school children. *J Clin Endocrinol Met* 2008;93:2693-2701.
- [7] Gordon CM, Williams AL, Feldman HA i wsp. treatment of hypovitaminosis D in infants and toddlers. *J Clin Endocrinol Met* 2008;93:2716-2721.
- [8] Aloia JF, Patel M, Dimaano R i wsp. Vitamin D intake to attain a desired serum 25-hydroxyvitamin D concentration. *Am J Clin Nutr* 2008; 87:952-958.
- [9] Heaney RP, Armas LA, Shary JR i wsp. 25-Hydroxylation of vitamin D3: relation to circulating vitamin D3 under various input conditions. *Am J Clin Nutr* 2008;87:1738-1742.
- [10] Rothberg AD, Pettifor JM, Cohen DF i wsp. Maternal-infant vitamin D relationships during breast-feeding. *J Pediatr* 1982;101(4):500-503
- [11] Ala-Houhala M, Koskinen T, Terho A i wsp. Maternal compared with infant vitamin D supplementation. *Arch Dis Child* 1986; 61(12):1159–1163.
- [12] Hollis BW, Wagner CL, Drezner MK i wsp. Circulating vitamin D3 and 25-hydroxyvitamin d in humans: an important tool to define adequate nutritional vitamin D status. *J of Steroid Bioch & Molecular Biol* 2007;103:631-634
- [13] Salle BL, Delvin EE, Lapillone A i wsp. Perinatal metabolism of vitamin D. *Am J Clin Nutr* 2000;71:1317s-1324s
- [14] Hollis BW, Wagner CL. Assessment of dietary vitamin D requirements during pregnancy and lactation. *Am J Clin Nutr* 2004;79:717-726
- [15] Biship NJ, Salle BL. Perinatal vitamin D actions. W: Feldman d, Glorieux FH, pike jW (red) *Vitamin D*. Oxford, pergamon, 2001, 533-9.
- [16] Mannion C, Gray-Donald K, Koski K. Association of low intake of milk and vitamin D during pregnancy with decreased birth weight. *CMAJ* 2006;174:1273-1277.
- [17] Leerbeck E, Sondergaard H. The total content of vitamin D in human milk and cow's milk. *Br J Nutr* 1980;44(1):7-12.
- [18] Challa A, Ntourntoufi A, Cholevas V i wsp. Breastfeeding and vitamin D status in Greece during the first 6 months of life. *Eur J Pediatr* 2005;164(12):724-729.
- [19] Ziegler E, Hollis B, Nelson S, Jeter J. Vitamin D deficiency in breastfed infants in iowa. *Pediatrics* 2006;118(2):603-610

- [20] Weisberg P, Scanlon KS, Li R i wsp. Nutritional rickets among children in the united states: review of cases reported between 1986-2003. *Am J Clin Nutr* 2004;80(suppl):1697s-1705s
- [21] First Nations, Inuit and Metis Health Committee. Vitamin D supplementation: recommendations for Canadian mothers and infants. *Paediatrics and Child Health* 12.7 (2007): 583.
- [22] Wagner CL, Greer FR. Prevention of rickets and vitamin D deficiency in infants, children, and adolescents. *Pediatrics* 2008;122:1142-1152.; 4
- [23] Jones G. Expanding role for vitamin D in chronic kidney disease: importance of blood 25OHd levels and extra-renal 1 $\alpha$ ,25-dihydroxyvitamin d<sub>3</sub>. *Seminars in Dialysis* 2007;4:316-324.;
- [24] Bischoff-Ferrari HA, Giovannucci E i wsp. Estimation of optimal serum concentrations of 25-hydroxyvitamin d for multiple health outcomes. *Am J Clin Nutr* 2006;84(1):18-28.
- [25] Holick MF. Sunlight and vitamin D for bone health and prevention of autoimmune diseases, cancers, and cardiovascular disease. *Am J Clin Nutr* 2004;80 (suppl 6): 1678s-1688s.;
- [26] Zittermann A, Schleithoff SS, Koerfer R. Putting cardiovascular disease and vitamin D insufficiency into perspective. *Br J Nutr* 2005;94:483-492.
- [27] Hypponen E, Power C. Vitamin D status and glucose homeostasis in the 1958 british birth cohort: the role of obesity. *Diabetes Care* 2006;29:2244-2246.
- [28] Lorenc RS, Głuszko P, Karczmarewicz E i wsp. Zalecenia postępowania diagnostycznego i leczniczego w osteoporozie. Obniżenie częstości złamań poprzez efektywną profilaktykę i leczenie. *Terapia* 9.3 (2007): 200.
- [29] Łukaszkiwicz J. Witamina D: fakty i mity. *FoodForum*
- [30] Łukaszkiwicz J., Hepatic microsomal enzyme induction: treatment of vitamin D poisoning in a 7 month old baby. *British Medical Journal*, 295(6607):1987 Nov 7; 1173
- [31] Lips P. Relative value of 25(OH)d and 1,25(OH)<sub>2</sub>d measurements. *J Bone Miner Res* 2007; 22(11): 1668-1671
- [32] Płudowski P, Karczmarewicz E, Bayer M i wsp. Practical guidelines for the supplementation of vitamin D and the treatment of deficits in Central Europe - recommended vitamin D intakes in the general population and groups at risk of vitamin D deficiency. *Endokrynol Pol.* 2013; 64: 319-27.
- [33] Płudowski P., Karczmarewicz E., Chlebna-Sokół D. i wsp. Witamina D: Rekomendacje dawkowania w populacji osób zdrowych oraz w grupach ryzyka deficytów - wytyczne dla Europy Środkowej 2013 r.
- [34] EFSA Panel on Dietetic Products, Nutrition and Allergies (NDA): Scientific opinion on the tolerable upper intake level of vitamin D. *EFSA Journal* 2012;10:2813:1-45.
- [35] Wacker M, Holick MF. Vitamin D effects on skeletal and extraskeletal health and the need for supplementation. *Nutrients.* 2013;10;5:111-48.
- [36] Tangpricha V, Turner A, Spina C i wsp. Tanning is associated with optimal vitamin status (serum 25-hydroxyvitamin D concentration) and higher bone mineral density. *Am J Clin Nutr* 2004;80:1645-1649.
- [37] Holick MF. Vitamin D deficiency. *NEJM* 2007;357:266-281.
- [38] Hollis B.W. Circulating 25-Hydroxyvitamin D Levels Indicative of Vitamin D Sufficiency: Implications for Establishing a New Effective Dietary Intake Recommendation for Vitamin D. *J. Nutr.*, 2005; 135: 317-322.

- [39] Holick MF, Biancuzzo RM, Chen RC i wsp. Vitamin D2 is as effective as vitamin D3 in maintaining concentrations of 25-hydroxyvitamin D. *J Clin Endocrin Metab* 2007;1-17.
- [40] Lips P. Relative value of 25(OH)D and 1,25(OH)<sub>2</sub>D measurements. *J Bone Miner Res* 2007;22(11):1668-1671.
- [41] Hall LM, Kimlin MG, Aronow PA et al.: Vitamin D intake needed to maintain target serum 25-hydroxyvitamin D concentrations in participants with low sun exposure and dark skin pigmentation is substantially higher than current recommendations. *The Journal of Nutrition* 2010; 140(3): p. 542.
- [42] Cashama KD, Hill TR, Lucey AJ et al.: Estimation of the dietary requirement for vitamin D in healthy adults. *Am J Clin Nutr* 2008; 88: 1535-1542.
- [43] Aloia JF, Patel M, Dimaano R et al.: Vitamin D intake to attain a desired serum 25-hydroxyvitamin D concentration. *Am J Clin Nutr* 2008; 87: 952-958.
- [44] Krzyścin JW, Jarosławski J, Sobolewski PS: A mathematical model for seasonal variability of vitamin D due to solar radiation. *J Photochem Photobiol B* 2011; 105(1): 106-12.
- [45] Płudowski P., Kryśkiewicz E., Karczmarewicz E. Zasady suplementacji i standardy oceny zaopatrzenia organizmu w witaminę D w świetle jej działania plejotropowego. *Postępy Nauk Medycznych* 3/2012, s. 265-272.
- [46] Wąsowski M., Czerwińska E., Marcinowska-Suchowierska E. Otyłość – stan predysponujący do niedoborów witaminy D. *Postępy Nauk Medycznych* 3/2012, s. 258-264.
- [47] DeLuca H.F.: Overview of general physiologic features and functions of vitamin D. *Am. J. Clin. Nutr.*, 2004; 80: 1689S-1696S.
- [48] Grygiel-Górniak B., Puszczewicz M. Witamina D – nowe spojrzenie w medycynie i reumatologii. *Postępy Hig Med Dosw (online)*, 2014; 68: 359-368.
- [49] DeLuca H.F., Cantorna M.: Vitamin D: its role and uses in immunology. *FASEB J.*, 2001; 15: 2579-2585
- [50] Holick MF: The Role of Vitamin D for Bone Health and Fracture Prevention. *Current Osteoporosis Reports* 2006; 4: 96-102.